INDEX

Acrobasis caryaevorella, 149–153
Aedes sollicitans, 141
Alexander, C. P., 380
Allen, H. W., 511
Allograpta obliqua, 256
Alsophila pometaria, 478–481
Amorbia humerosana, 325
Anagyrus antoninae, 256
Aphidius tastaceipes, 399
Anopheles crucians, 141
  occidentalis, 411, 412, 413, 414, 415–421
  peseudo-punctipennis, 410, 411, 412, 413, 414
  punctipennis, 411, 412, 413
  quadrimaculatus, 410, 414
Anopheline mosquitoes, 410–414
Anthonomus grandis, 473–478
  var. thurberiae, 141, 373, 472–478
Anthrax lucifer, 510, 511
Anuraphis cardui, 422
  helichrysi, 422–423
Apanteles militaris, 487
Aphis avenae, 436, 437, 439, 440
  maidis, 89–94
  middletonii, 257
  pomi, 436, 437, 438, 439
  sorbi, 436, 437, 438, 439, 440
Aphycus lounsburyi, 349
Apiculture section, 101–137
Apple aphids, 208, 436–440
  leaf hopper, 209
  red bug, 207–208
Applied entomology, 381
Archips argyrospila, 428–433
  rosaceana, 325
Argentine ant, 506–508
Army worm, 486–488
Arsenic for white grubs, 238–239
Artichoke insects, 99–100
Auditing committee, 25
Avocado insects, 341–344, 465–469

Baerg, W. J., 99–100, 510
Ball, E. D., 81
Barber, G. W., 240, 486–488, 502–503
Bean weevil, 264–268
Beattie, R. K., 201–205
Bee diseases, 117–134, 317–323
Beekeeping problems, 114–116
Bees, mixed infection, 127–134
  winter protection, 110–114
Beet leaf hoppers, 405–410, 433–436
Bilsing, S. W., 149–153
Black, A. B., 328–336
Black scale, 348–350
Blissus leucopterus, 83–85
Bodorin, D., 377
Box midge, 359–365
Boyden, B. L., 195
Braucher, R. W., 159, 160
Bruchus limbatus, 256
  obtectus, 264–268
Bud moth, 325
Burgess, A. F., 177–178
Burke, H. E., 369–372, 450–452

Calandra taitensis, 257
Calosoma calidum, 487
  frigidum, 479, 480
  lugubre, 487
  scrutator, 479, 487
Camnula pellucida, 139
Campbell, R. E., 400–404
Camphor scale, 373
Canker worm, fall, 478–481
Carpenter worm, 369–372
Carpocapsa pomonella, 156–159, 216, 220–223, 440–444
Carpoglyphus passularum, 445
Carpophilus hemipterus, 445
Ceresa bubalus, 77
Cerura multiscripta, 367
Chandler, S. C., 141
Chinch bug, 83–85
Chrysanthemum midge, 191
Chrysomphalus dictyospermum, 344
Cicadula 6-notata, 61
Coccidae, 243, 306
Coccus acuminatus, 469–472
  acutissimus, 257
Codling moth, 156–159, 216, 220–223, 440–444
Cold storage, 444–447
Conotrachelus nenuphar, 215–216, 220–223
Contarinia pyrivora, 373
Corn leaf aphis, 89–94
Cory, E. N., 345–347
Cotton boll weevils, 141, 373
Crane flies of N. Y., 380
Cricket repellents, 259–263
Crumb, S. E., 461–465
Currant aphis, 210
Cyanide fumigation for psylla, 154

Davis, J. J., 263, 509
De Long, D. M., 488–490
De Ong, E. R., 373, 444–447
Deltocephalus inimicus, 61
Dendroctonus brevicomis, 448, 449
  monticolae, 448
Deputy, O. D., 178–183

Desmocerus auripennis, 450, 452
californicus, 450, 451
cribripennis, 450, 451
notes, 450–452
palliatus, 451
piperi, 452
Detwiler, J. D., 373
Diabrotica soror, 400–404
Diatraea saccharalis, 481–485
Dietz, H. F., 188–194
Diprion simile, 141
Dissosteira carolina, 261
Doane, R. W., 306
Dudley, J. E., 80
Dusts for apples, 220–225
for beet hopper, 405–410
for sucking insects, 206–214
Dust insecticides, 214–220, 392–393

Eleodes tricostata, 100
Employment bureau, 14
Empoasca mali, 61–79, 510
minuenda, 465, 467
rosae, 209, 240
unicolor, 209
Encoptolophus scudderi, 261
Epitrix cucumeris, 77, 511
Erythroneura comes,
var. comes, 502
var. elegans, 502
var. zizac, 502
vulnerata
var. nigra, 502
var. vulnerata, 502
Essig, E. O., 392–393, 506–508
Eucalymnatus tesselatus, 469–472
Eulia quadrifasciana, 325
velutana, 325
European corn borer, 85–88, 453–455, 481–485
red mite, 355–358
Eutettex tenella, 405–410, 433–436
Euthrips helianthi, 428
tritici, 428
Eyer, J. R., 69–71, 80, 269–272

Fall army worm, 99, 300–305
Federal Horticultural Board, 166–171, 178–183
Felt, E. P., 53, 85–88
Fenton, F. A., 71–79, 80, 81, 88, 510
Fernald, Charles Henry, 242
Fernald, H. T., 381
Fletcher, T. B., 310
Flint, W. P., 83–85
Fluke, C. L., 94–98
Ford, A. L., 281–299
Forest insect problems, 447–450
Foul brood, American, 117–121, 134
legislation, 121–127
Four lined bug, 210
Fracker, S. B., 48–53, 117–121, 135
France, L. V., 105–110
Frankliniella cephalicus, 343
Freeborn, S. B., 415–421
Frontina aletiae, 487
Frost, S. W., 324–328
Fruit tree leaf roller, 428–433

Galleria mellonella, 368
Garman, P., 355–358
Gastrophilus intestinalis, 374
Giddings, N. J., 225–231, 238
Gipsy moth in N. J., 172–177
Gossard, H. A., 53–60, 82, 153
Graf, J. E., 195
Graham, S. A., 308
Grape berry moth, 488–490
leaf hopper, 209
Grasshopper baits, 138–141, 281–299
repellents, 259–263
Grassworms, Southern, 510
Greenhouse inspection, 188–194
Gryllus assimilis pennsylvanicus, 261

Hadley, C. H., 249–253
Hamilton, C. C., 359–365
Haploa colona, var. reversa, 100
Harlequin cabbage bug, 305
Harmolita vaginicolum, 490–492
Hartung, W. J., 405–410
Hartzell, A., 62–68
Hawaiian insects, 254–258
Headlee, T. J., 80, 172–177, 214–220, 264–268
Heliothrips hemorrhoidalis,342, 465, 467
Hemiptera of Adirondacks, 254
Herms, W. B., 410–414
Herrick, G. W., 88, 156–159
Hessian fly, 53–60
High, M. H., 307
Hinds, W. E., 53
Hippodamia convergens, 399
Hoffman, W. A., 374
Holloway, T. E., 373, 481–485
Hopperburn, 510
Horsfall, J. L., 269–272, 493–496
Horticultural inspection, 160–205
House fly, 461–465
Hylemyia antiqua, 504
brassicae, 504
cilicrura, 305, 504
trichodactyla, 503–504
Hypoderma bovis, 374
lineata, 374

Illingworth, J. F., 238–239
Index committee, 13
Iridomyrmex humilis, 506–508
Isodon puncticollis, 239
Itoplectis immigrans, 256

Jaenicke, A. J., 447–450

Japanese beetle, 249–253, 350–352
Johannsen, O. A., 503–504, 512
Jones, T. H., 501

King, Vernon, 486–488
Kurdiumoff, N. V., 377–380

Lamp for taxonomic work, 504–506
Laphygma frugiperda, 300–305, 510
Larrimer, W. H., 259–263, 285–299
Laspeyresia novimundi, 94–98
nigricana, 95
Lathrop, F. H., 328–336, 436–440
Leaf hoppers, 240
Leaf rollers 325
Legislation, Abstract, 512
Leucania unipuncta, 486–488
Lycophotia magaritosa, 272–277
Lygidea mendax, 207–208
Lygus pratensis, 77
Lyon, S. C., 461–465

MacGillivray, A. D., 243
Mango insects, 469–472
Marcovitch, S., 61–62
Marlatt, C. L., 166–171
Masicera eufitchiae, 480
McColloch, J. W., 89–94
McClung, E. A., 32–36
Mecas inornata, 99
Melander, A. L., 159–160
Melanoplus atlanis, 261
differentialis, 261
femur-rubrum, 261, 281, 285
Melon aphis, 398
Membership committee, 26
Merrill, J. H., 110–114
Metcalf, C. L., 94
Metcalf, Z. P., 81
Millipede control, 269–272
Monarthropalpus buxi, 359–365
Montgomery, J. H., 195–200
Moore, Wm., 232, 233, 253
Morrill, A. W., 141, 374, 394–400, 472–478
Moznette, G. F., 341–344, 465–472
Murgantia histrionica, 305
Musca domestica, 461–465
Myzus ribis, 210

National museum committee, 29
National research council, 32, report on, 10
Nemobius fasciatus, 261
Newell, W., 36–47, 48
Nicotine dusts, 394–400
Nomenclature committee, 12
Nomia nortoni, 307
Nominating committee, 30
Nursery inspection, 183–188
Nursery stock insects, 353–355

Oberea bimaculata, 99
O'Byrne, F. M., 183–188
Oil sprays, 428–433
O'Kane, W. C., 36, 48
Opisthuria clandestina var. dorsalis, 501
Orchard dusting, 225–231
Orchelimum vulgare, 261
Organization in economic entomology, 36–47
Oriental peach moth, 336–341
Orthodichlorobenezene, 155
Orton, W. A., 231, 234
Osborn, Herbert, 254

Paddock, F. B., 101–104
Paradichlorobenezene, 154, 509
Paratetranychus pilosus, 355–358
Parker, J. R., 138–141
Parks, T. H., 53–60, 490–492
Wallace, 105
Parrott, P. J., 82, 206–214, 233
Pea moth, 94–98
Peach root borer, 328–336
thrips, 424–428
tree borer, 154
Peairs, L. M., 310
Pear midge, 373
Psylla, 154, 210
Pecan nut case bearer, 149–153
Pellett, F. C., 114–116
Penny, D. P., 428–433
Peridroma saucia, 94
Pest reporting, 48–53
Peterson, Alvah, 98, 154, 233
Phillips, E. F., 317–323
Phillips, W. J., 504–506
Phytophaga destructor, 53–60
Pierce, W. D., 244
Pine saw fly, imported, 141
Plant quarantine, 195–200
Plodia interpunctella, 445
Plum curculio, 215–216, 220–223
Podisus modestus, 479, 480
Poecilocapsus lineatus, 210
Poison bait mixer, 508–509
Policy committee, 16
Pomphopoea aenea, 358
Poos, F. W., 504–506
Popillia japonica, 249–253, 350–352
Porthetria dispar, 172–177
Potato flea beetle, 511
leaf hopper, 61–79
Prionoxystus robiniae, 369–372
Protopulvinaria pyriformis, 244
Prune root borer, 328–336
Pseudaonidia duplex, 373
Pseudococcus bakeri, 507
citri, 507
citrophilus, 507
Psylla pyricola, 210

Pyrausta ainsliei, 277–280, 366
nubilalis, 85–88, 277, 453–455, 481–485
Pyrethrum extract, 345–347

Quaintance, A. L., 155, 220–225, 236
Quarantine No. 37, 201–205
Quayle, H. J., 440–444
Queen fertilization, 105–110
Queens, value, 101–104

Ralfs, Marguerite, 512
Reinhard, H. J., 306
Resolutions committee, 25
Ressler, I. L., 277–280, 510
Rhizobius ventralis, 349
Rhopalosiphum nympaeae, 373
Root, A. I., 135
Rose midge, 192

Safro, V. I., 237
Salt marsh mosquitoes, 141
Saissetia oleae, 348–350
Sanderson, E. D., 310
Sanders, J. D., 82, 141, 161–166, 488–490
Sanitary entomology, 244
Sanninoidea exitiosa, 154
opalescens, 328–336
Sarcophaga cimbicis, 480
latisterna, 480
Sasscer, E. R., 353–355
Schwing, E. A., 405–410
Sciara pauciseta, 512
Scudderia furcata, 261
Scutellista cyanea, 349
Seamans, H. L., 138–141
Seed potato maggot, 503–504
Severin, H. C., 305, 405–410, 433–436
Sherman, F., 478–481
Silaon rohweri, 255
Silvanus surinamensis, 445
Smith, H. S., 348–350
Smithi R. C., 99, 300–305
Smith, R. H., 422–423
Snapp, O. I., 358
Snyder, T. E., 366–369, 496–501
Sparganothis idaeusalis, 325
Sprays, spreading of, 253
Stearns, L. A., 336–341
Stennomatus musae, 257
Stockwell, C. W., 350–352
Sturtevant, A. P., 127–134
Subcortical temperatures, 307
Sugar cane moth borer, 481–485
Sweet potatoes and Nomia, 306
Sweet potato weevil, 195
Swezey, O. H., 254–258

Taft, L. R., 234–235
Tanquary, M. C., 121–127
Tenebrioides mauritanicus, 445
Tetranychus yothersi, 342, 465
Thomas, W. W., 405–410
Thompson, B. G., 508–509
Thrips tabaci, 493–496
Thurberia insects, 472–478
Timbers bored by Lepidoptera, 366–369
Tipburn, 510
Tmetocera ocellana, 325
Tobacco thrips, 493–496
Trialeurodes floridensis, 343
Turner, C. H., 89

Variegated cut-worm, 272–277
Vespa diabolica, 509
occidentalis, 255

Wadley, F. M., 272–277
Walton, W. R., 53, 88
Webster, R. L., 154
Weldon, G. P., 424–428
Western cucumber beetle, 400–404
Wheat sheath worm, 490–492
White-ant-proof woods 496–501
Wilson, H. F., 104, 134
Winthemia 4-pustulata, 487
Woodbine hoppers, 502–503
Woolly apple aphis, 400